AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- 1. (original): A fluid dispenser assembly comprising:
 - · a fluid dispenser (101; 201; 301; 401; 501; 601); and
- a pack (120; 220; 320; 420; 520; 620) for co-operating with the dispenser in such a manner as to fasten the pack to the dispenser, the pack including a fastener zone (121; 221; 321, 327; 421; 521, 527; 621), and the dispenser including reception means (111; 211; 311, 366; 411; 511, 566; 611) for receiving the fastener zone,

the assembly being characterized in that the reception means comprise at least one set of two opposite longitudinal grooves (111; 211; 311, 327; 411; 511, 527; 611) for receiving the fastener zone (121; 221; 321, 366; 421; 521, 566; 621) of the pack.

- 2. (original): A dispenser assembly according to claim 1, in which the reception means and the fastener zone extend in a fastener plane (P).
- 3. (original): A dispenser assembly according to claim 2, in which the dispenser (101; 201; 301; 401; 501; 601) presents a longitudinal axis that extends in said fastener plane (P).

- 4. (currently amended): A dispenser assembly according to claim 2-or claim 3, in which the dispenser (101; 201; 301; 401; 501; 601) presents a generally cylindrical shape defining a longitudinal axis of symmetry that extends in said fastener plane.
- 5. (currently amended): A dispenser assembly according to any preceding claimclaim 1, in which the pack (120; 220; 320; 420; 520; 620) includes a housing (122; 222; 322; 422; 522; 622) that is plane, at least in part, defining substantially plane edges forming the fastener zone (121; 221; 321, 327; 421; 521, 527; 621).
- 6. (original): A dispenser assembly according to claim 5, in which the fastener zone comprises two facing zone portions (121; 221; 321, 327; 421; 521, 527; 621), defining between them a housing gap for co-operating with the reception means (111; 211; 311, 366; 411; 511, 566; 611) of the dispenser.
- 7. (currently amended): A dispenser assembly according to any preceding claim 1, in which the pack (420; 520; 620) forms a closed housing (422; 522; 622) that is in the form of a cut-out within the pack, the dispenser (401; 501; 601) being completely surrounded by the pack.
- 8. (currently amended): A dispenser assembly according to any preceding claimclaim 1, in which the pack (120; 220; 320; 420; 520; 620) is plane and thin, and is advantageously made from a plane sheet.

- 9. (currently amended): A dispenser assembly according to any preceding claimclaim 1, in which the dispenser (101; 201; 301; 401; 501; 601) includes a reservoir (110; 210; 310; 410; 510; 610) forming a body (116; 216; 316; 416; 516; 616), the reception means (111; 211; 311; 411; 511; 611) being formed by said body.
- 10. (currently amended): A dispenser assembly according to any preceding claim 1, in which the dispenser (301; 501) includes a removable protective cap (360; 560), the reception means (366; 566) being formed by said cap.
- 11. (currently amended): A dispenser assembly according to any preceding claimclaim 1, in which the dispenser includes a reservoir (110; 210; 310; 410; 510; 610) having side walls (114; 214; 314; 414; 514; 614), a bottom (115; 215; 315; 415; 515; 615), and an opening (113; 213; 313; 413; 513; 613), the side walls forming a set of two opposite longitudinal grooves (111; 211; 311; 411; 511; 611) that extend over at least a fraction of the height of the walls between the bottom and the opening.
- 12. (currently amended): A dispenser assembly according to any preceding claim 1, in which each groove (111; 211; 311; 411; 511; 611) comprises two substantially opposite longitudinal walls (1111; 2111; 3111; 4111; 5111; 6111) that are interconnected by a bottom core (1110; 2110; 3110; 4110; 5110; 6110), said walls extending substantially in the fastener plane (P).

Preliminary Amendment Based on PCT/FR2004/050521

- 13. (currently amended): A dispenser assembly according to any preceding claim 1, in which each groove comprises a longitudinal access wall (570) that extends substantially perpendicularly to the fastener plane (P).
- 14. (currently amended): A dispenser assembly according to any preceding claim 1, in which each groove (611) is in the form of a V-groove defining a longitudinal fastener wall (6111) that extends substantially in the fastener plane (P), and an access wall (671) that extends substantially perpendicularly to the fastener plane (P).
- 15. (currently amended): A dispenser assembly according to any preceding claim 1, in which the pack is engaged into the grooves of the dispenser by sliding.